



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS:1963-A

(\cdot, \cdot)	

Unclassified SECURITY CLASSIFICATION OF THIS PAGE (When Date Enfered)	(3)
REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AD-A12592 16740.11-MS	O. 3. RECIPIENT'S CATALOG NUMBER
Local Defect Arrays and Properties of Oxides	Final: 24 Oct 79 - 24 Dec 82 6. PERFORMING ORG. REPORT NUMBER
J. B. Cohen M. E. Fine D. C. Ellis T. O. Mason	DAAG29 80 C 0035
PERFORMING ORGANIZATION NAME AND ADDRESS Northwestern University Evanston, IL 60201	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
CONTROLLING OFFICE NAME AND ADDRESS U. S. Army Research Office Post Office Box 12211	12. REPORT DATE Feb 28. 83 13. NUMBER OF PAGES
Research Triangle Park, NC 27709 MONITORING AGENCY NAME & ADDRESS(II dillorent from Controlling Office	6 15. SECURITY CLASS. (of this report)
	Unclassified 154. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimit	ted. DIC

MAR 2 2 1983

17. DISTRIBUTION STATEMENT (of the obetrect entered in Block 20, if different free Report)

18. SUPPLEMENTARY NOTES

The view, opinions, and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

29. ABSTRACT (Continue on reverse stds H responsity and identify by block number)

This project was an interdisciplinary effort attempting to quantify the relationships between the electrical and magnetic properties of transition metal oxides and their local defect arrangements. Highly specialized x-ray techniques were applied to establish defect structures in materials where electrical properties or magnetic properties were also studied. Quantum theoretical modelling of defect structures was also initiated,

DD 1 JAN 73 1473

UNCLASSIFIED

149 ECUMTY CLASSIFICATION OF THIS PAGE (When Data Entered)

FILE COPY

DEPARTMENT OF MATERIALS SCIENCE AND ENGINEERING THE TECHNOLOGICAL INSTITUTE NORTHWESTERN UNIVERSITY EVANSTON, ILLINOIS 60201

Final Report to

U. S. Army Research Office

for Research on

LOCAL DEFECT ARRAYS AND PROPERTIES OF OXIDES

Grant No. DAAG29-80-C0035

Principal Investigators

J. B. Cohen
Frank C. Engelhart Professor of
Materials Science & Engineering

D. E. Ellis Chairman, Dept. of Physics & Astronomy, Professor of Physics and Chemistry

> M. E. Fine Walter P. Murphy Professor of Materials Science & Engineering

> T. O. Mason
> Assistant Professor of
> Materials Science & Engineering

February 28, 1983

STATEMENT OF THE PROBLEM STUDIED

As stated in the original proposal, this project was an interdisciplinary effort attempting to quantify the relationships between the electrical and magnetic properties of transition metal oxides and their local defect arrangements. Highly specialized X-ray techniques were applied to establish defect structures in materials where electrical properties or magnetic properties were also studied. Quantum theoretical modelling of defect structures was also initiated.

IMPORTANT RESULTS

A. Techniques.

Via simulation of EXAFS patterns for FeO, VO, stabilized ZrO₂ and W-doped VO₂, it was found that it is generally <u>not</u> possible to distinguish defect clusters from random arrays of defects. This is an important result, due to the great interest in the community for employing EXAFS to probe local defect arrays in oxides. It implies that, at this moment, we can rely only on analysis of diffuse scattering to provide detailed information on local defect arrays in oxides. In the predecessor to this grant, we had derived for the first time the general equations for diffuse scattering from oxides. We have now learned to solve these equations without approximation directly from measurements. This is a unique capability, not presently possible elsewhere, which allows as complete information on oxide defect arrays as has only heretofore been possible for binary metallic systems.

Another highlight of our research has been the development of a technique to discriminate conduction mechanisms in transition metal oxides. The technique involves analysis of conductivity at fixed thermopower as opposed to fixed stoichiometry. It permits an activated mobility (characteristic of small

polaron conduction) to be unambiguously established.

B. Studies of Oxides

1. $2r(Ca,Y)O_{2-X}$

Via diffuse X-ray scattering we have shown that the two main features of the local ionic arrangements in these materials are "rods" of stabilizing cations along <332> directions and the fact that oxygen vacancies are nearneighbors to these cations. The high anionic conduction may be due to the "guiding" of the anions along the rods of solute cations.

2. W-doped VO2

Earlier work by M. E. Fine and co-workers had shown that the curvature in M-H data at low fields might be interpreted as due to W-rich clusters. Our high field data mitigates against this interpretation. Subsequent small angle X-ray scattering showed no evidence of clustering. What the magnetic data does suggest is that each W atom breaks a $V^{4+}-V^{4+}$ homopolar bond along the c-axis and transfers two 3d electrons to its two nearest V^{4+} neighbors, forming $V^{3+}-V^{4+}$ and $V^{3+}-V^{4+}$ pairs. This has since been confirmed via near-edge V_K and W_L X-ray absorption studies. The change in bonding may explain why the semiconductor-insulator transition temperature decreases with W doping.

3. CoO

High precision thermopower measurements confirm V_{Co}' and V_{Co}' , charge compensated by electron holes, to be the majority defects. However, at the larger deviations from stoichimetry, significant departure from point defect ideality occurs. This may indicate the same type of clustering as seen in FeO, and which has been predicted for vacancy concentrations exceeding 0.1 percent. In addition, our analyses show CoO to be a band-type semiconductor. Both findings are important when it is recalled that CoO has long been believed to

be a small polaron conductor exhibiting "ideal" point defect behavior.

4. FeO

Our re-analysis of existing conductivity and Seebeck coefficient data showed that the electrical behavior could be explained by small polaron conduction of electron holes along networks of near-cluster iron cations. When analyzed at constant Seebeck coefficient, the electrical conductivity exhibits a composition-independent activation energy of hopping.

C. Theoretical Studies

Theoretical studies have been carried out on the electronic structure, optical and X-ray spectra, and chemical bonding of selected transition metal oxides. The effects of both oxygen and metal-site vacancies on the metal valency have been studied, and the nature of potential vacancy-site bound states has been explored. The modification of X-ray emission near the K-edge of the metal due to first and second neighbor vacancies has been calculated and compared with experiment for VO_x and TiO_x rocksalt-structure compounds. The variability of metal valency in the inverse spinel Fe₃O₄ has been studied, using molecular cluster techniques. Although the iron A-site and B-site magnetic moments are calculated in good agreement with neutron and magnetic susceptibility data, we find that the classical Fe(2+) and Fe(3+) free ion configurations are not a very good description of the effective atomic configurations. It appears that covalent charge-sharing between metal-3d and ligand-2p states is an essential feature of the bonding mechanism. Theoretical algorithms are being developed to help to determine the energy of formation, and activation energies for diffusion of lattice vacancies.

Participating Scientific Personnel

Co-Principal Investigators:

J. B. Cohen

D. E. Ellis M. E. Fine

T. O. Mason

Post Docs:

F. W. Kutzler


Graduate Research Assistants: H.-C. Chen

E. Gartstein

G. Sykora C. Tang

Degrees Earned

- H.-C. Chen, "Seebeck Coefficient Measurements in Cobaltous Oxide", M.S., June 1981
- C. Tang, ""Local Atomic and Electronic Arrangements in $W_x V_{1-x} O_2$ ", Ph.D., June, 1983



Publications and Technical Reports

- 1. "Diffuse Scattering from VO_X", M. Morinaga, in Modulated Structures—1979, eds. J. M. Cowley, J. B. Cohen, M. B. Salamon, and B. J. Wuensch, Am. Inst. Phys., New York, (1979) pp. 370-372.
- "Comments on the Defect Structure in Wüstite", E. Gartstein and J. B. Cohen, J. Solid State Chem., 33, 271-272 (1980).

- 3. "X-Ray Diffraction Study of Zr(Ca,Y)O_{2-X}; The Disordered State", J. B. Cohen, M. Morinaga and J. Faber, Jr., Solid State Ionics, 3/4, 61-63 (1981).
- 4. "Thermoelectric Study of Cobaltous Oxide Defect Structure", H.-C. Chen and T. O. Mason, J. Am. Ceram. Soc., 10 C-130-133 (1981).
- 5. "The Structure of (Disordered) Stabilized Zirconias", J. B. Cohen, J. Faber, Jr. and M. Morinaga, in Science and Technology of Zirconia, eds. A. H. Heuer and L. W. Hobbs, Adv. in Ceamics, Vol. 3, Am. Ceram. Soc., Columbus, Ohio (1981).
- 6. "Reanalysis of Wustite Electrical Properties", E. Gartstein and T.O. Mason, J. Am. Ceram. Soc., 65 [2] C-24-26 (1982).
- 7. "Conduction Mechanism Analysis for $Fe_{1-\delta}O$ and $Co_{1-\delta}O$ ", H.-C. chen, E. Gartstein and T. O. Mason, J. Phys. Chem. Solids, 43 [10] 991-995 (1982).
- 8. "Study of Extended X-Ray Absorption Fine Structure for Possible Use in Examining Local tomic Arrangements in Oxides", C. Tang and P. Georgopoulos, and J. B. Cohen, J. Am. Ceam. Soc., 65 [12] 625-629 (1982).
- 9. "Local Atomic and Electronic Arrangements in $W_xV_{1-x}O_2$ ", Chwan-Hsin Tang, Ph.D. Thesis, Northwestern University, June, 1983.
- 10. "Vacancies and the Energy Spectrum of Refractory Metal Compounds: TiC and TiO", F. W. Kutzler and D. E. Ellis, manuscript in preparation.
- 11. "K-edge Spectra and Vacancy Structure of TiO and VO", F. W. Kutzler and D. E. Ellis, manuscript in preparation

